

Ref	Hits	Search Query	Jobs	Default Operator	Plurals	Time Stamp
52	9	\$(NCRX) near2 (NISHJIA).INV.	US-RPUB USPAT	ADJ	ON	2008/08/17 12:47
53	31	\$(NCRX) near2 (NHAZATO).INV.	US-RPUB USPAT	ADJ	ON	2008/08/17 12:47
54	11	\$(YASUO) near2 (COCKE).INV.	US-RPUB USPAT	ADJ	ON	2008/08/17 12:48
58	0	3611277.278.279.280.281.282.283.1.283.2.283.3.283.4.284.285.286.287.288.289.290.291.292.293.294.295.296.297.298.1.299.1.299.2.299.3.299.3.299.4.299.5.298.2.298.3.298.4.298.5.300.cds. and switch	US-RPUB USPAT	ADJ	ON	2008/08/17 13:18
57	474	3611277.278.279.280.281.282.283.1.283.2.283.3.283.4.284.285.286.287.288.289.290.291.292.293.294.295.296.297.298.1.299.1.299.2.299.3.299.3.299.4.299.5.298.2.298.3.298.4.298.5.300.cds. and switch	US-RPUB USPAT	ADJ	ON	2008/08/17 13:19
58	36	3611277.278.279.280.281.282.283.1.283.2.283.3.283.4.284.285.286.287.288.289.290.291.292.293.294.295.296.297.298.1.299.1.299.2.299.3.299.3.299.4.299.5.298.2.298.3.298.4.298.5.300.cds. and switch and fixed capacitor	US-RPUB USPAT, EPO, JPO, DEWENT	ADJ	ON	2008/08/17 13:19
59	31	3611277.278.279.280.281.282.283.1.283.2.283.3.283.4.284.285.286.287.288.289.290.291.292.293.294.295.296.297.298.1.299.1.299.2.299.3.299.3.299.4.299.5.298.2.298.3.298.4.298.5.300.cds. and switch and fixed capacitor and parallel	US-RPUB USPAT, EPO, JPO, DEWENT	ADJ	ON	2008/08/17 13:20
510	5	variable capacitor with switch with fixed capacitor and 3611.dia.	US-RPUB USPAT, EPO, JPO, DEWENT	ADJ	ON	2008/08/17 13:23
511	188	(variable or vary or varying or varied or tunable or tune or tuning or tuned) near3 (capacitor or condensor) with switch with fixed near2 (capacitor or condensor)	US-RPUB USPAT, EPO, JPO, DEWENT	ADJ	ON	2008/08/24 16:00
512	100	(variable or vary or varying or varied or tunable or tune or tuning or tuned) near3 (capacitor or condensor) with fixed near2 (capacitor or condensor) with (coupl\$4 or connect\$4) and (variable or vary or varying or varied or tunable or tune or tuning or tuned) near3 (capacitor or condensor) with fixed near2 (capacitor or condensor) with switch	US-RPUB USPAT, EPO, JPO, DEWENT	ADJ	ON	2008/08/24 16:02
513	27	(variable or vary or varying or varied or tunable or tune or tuning or tuned) near3 (capacitor or condensor) with fixed near2 (capacitor or condensor) with (coupl\$4 or connect\$4) and (variable or vary or varying or varied or tunable or tune or tuning or tuned) near3 (capacitor or condensor) with fixed near2 (capacitor or condensor) with switch and MEMS	US-RPUB USPAT, EPO, JPO, DEWENT	ADJ	ON	2008/08/24 16:04
514	1	2004-782925.NFHW	DEWENT	ADJ	ON	2008/08/24 16:07
515	88	S11 not S12	US-RPUB USPAT, EPO, JPO, DEWENT	ADJ	ON	2008/08/24 16:23
517	39	3611277-300.cds. and MEMS with switch and substrate	US-RPUB USPAT, EPO, JPO, DEWENT	ADJ	ON	2008/08/24 16:30
518	0	3611277-300.cds. and MEMS with switch same substrate same fixed (capacitor or condensor)	US-RPUB USPAT, EPO, JPO, DEWENT	ADJ	ON	2008/08/24 16:30
519	3	3611277-300.cds. and MEMS with switch same substrate and fixed (capacitor or condensor)	US-RPUB USPAT, EPO, JPO, DEWENT	ADJ	ON	2008/08/24 16:30
520	3	(varactor) with fixed near2 (capacitor or condensor) with (coupl\$4 or connect\$4) and (variable or vary or varying or varied or tunable or tune or tuning or tuned) near3 (capacitor or condensor) with fixed near2 (capacitor or condensor) with switch and MEMS	US-RPUB USPAT, EPO, JPO, DEWENT	ADJ	ON	2008/08/24 16:31
521	16	3611277-300.cds. and MEMS with switch same substrate	US-RPUB USPAT, EPO, JPO, DEWENT	ADJ	ON	2008/08/24 16:31
522	148	MEMS with switch same substrate same ((variable or vary or varying or varied or tunable or tune or tuning or tuned) near3 (capacitor or condensor) or varactor)	US-RPUB USPAT, EPO, JPO, DEWENT	ADJ	ON	2008/08/25 16:35
523	376	MEMS with switch same substrate same (capacitor or condensor)	US-RPUB USPAT, EPO, JPO, DEWENT	ADJ	ON	2008/08/25 16:42
526	2	switch with substrate with ((variable or vary or varying or varied or tunable or tune or tuning or tuned) near3 (capacitor or condensor) or varactor) with fixed (capacitor or condensor)	US-RPUB USPAT, EPO, JPO, DEWENT	ADJ	ON	2008/08/25 16:47
527	9	switch same substrate same ((variable or vary or varying or varied or tunable or tune or tuning or tuned) near3 (capacitor or condensor) or varactor) with fixed (capacitor or condensor)	US-RPUB USPAT, EPO, JPO, DEWENT	ADJ	ON	2008/08/25 16:48

S29	31	2004327877 or 2004329591 or 402872	US PGRU, USPAT, EPO, JPO, DERIVENT	ADJ	ON	2008/09/25	26:49
S29	31	31IBIS or microelectr\$4 mechanical or micro electr\$4 mechanical with switch with substrate with ((variable or vary or varying or varied or tunable or tune or tuning or tuned) near3 (capacitor or condensor) or varactor)	US PGRU, USPAT, EPO, JPO, DERIVENT	ADJ	ON	2008/09/25	26:53
S30	36	31IBIS or microelectr\$4 mechanical or micro electr\$4 mechanical with switch with substrate with (capacitor or condensor)	US PGRU, USPAT, EPO, JPO, DERIVENT	ADJ	ON	2008/09/25	26:53
S31	7	substrate and switch and fixed (capacitor or condensor) and ((variable or vary or varying or varied or tunable or tune or tuning or tuned) near3 (capacitor or condensor) or varactor) dim.	US PGRU, USPAT, EPO, JPO, DERIVENT	ADJ	ON	2008/09/25	27:11
S32	146	switch with fixed (capacitor or condensor) with ((variable or vary or varying or varied or tunable or tune or tuning or tuned) near3 (capacitor or condensor) or varactor)	US PGRU, USPAT, EPO, JPO, DERIVENT	ADJ	ON	2008/09/25	28:36
S33	9	320030098959P / 4399407 / 4858400 / 5195437 / 5259308P / 5444378 / 5461918 / 5677632P / 6396278P / RL OR 70003611 / URPL	US PGRU, USPAT, USCOR	ADJ	ON	2008/09/25	28:17
S34	34	switch with fixed (capacitor or condensor) with ((variable or vary or varying or varied or tunable or tune or tuning or tuned) near3 (capacitor or condensor) or varactor) and substrate	US PGRU, USPAT, EPO, JPO, DERIVENT	ADJ	ON	2008/09/25	28:20
S35	15	fixed (capacitor or condensor) with (surface or side) and ((variable or vary or varying or varied or tunable or tune or tuning or tuned) near3 (capacitor or condensor) or varactor) with (surface or side) and switch with (surface or side)	US PGRU, USPAT, USCOR, EPO, JPO, DERIVENT	ADJ	ON	2008/09/25	27:04
S36	3	32003 0216114 / URPL	USPAT	ADJ	ON	2008/09/25	23:08
S37	13	32764841 / 4201950P / 5315204 / 5461933P / 5127608P / 6639493P / 5647089P / 5678430P / 5714700P / 5717491P / 5720851P / 5720852P / 5724280P / RL	US PGRU, USPAT, EPO, JPO, DERIVENT	ADJ	ON	2008/09/25	23:11
S38	820	5611277, 278, 279, 280, etc.	US PGRU, USPAT	ADJ	ON	2008/09/25	23:19
S39	71	5611277, 278, 279, 280, etc.	EPO, JPO, DERIVENT	ADJ	ON	2008/09/25	23:22
S40	2259	integrated and substrate and (capacitor or switch or resistor or inductor or electronic) with substrate with (opposite or oppose) with (side or surface)	US PGRU, USPAT, EPO, JPO, DERIVENT	ADJ	ON	2008/09/29	20:15
S41	1955	integrated and substrate and (capacitor or switch or electronic) with substrate with (opposite or oppose) with (side or surface)	US PGRU, USPAT, EPO, JPO, DERIVENT	ADJ	ON	2008/09/29	20:15
S42	1954	integrated and substrate and (capacitor or switch) with substrate with (opposite or oppose) with (side or surface)	US PGRU, USPAT, EPO, JPO, DERIVENT	ADJ	ON	2008/09/29	20:15
S43	843	integrated and substrate and (capacitor or switch) with substrate with (opposite or oppose) near4 (side or surface)	US PGRU, USPAT, EPO, JPO, DERIVENT	ADJ	ON	2008/09/29	20:15
S44	855	integrated and substrate and (capacitor or switch) with substrate with (opposite or oppose\$3 near4 (side or surface)	US PGRU, USPAT, EPO, JPO, DERIVENT	ADJ	ON	2008/09/29	20:22
S45	21133	31IBIS or microelectr\$4 mechanical or micro near electr\$4 mechanical or micro electr\$4 mechanical or microelectr\$4 mechanical with switch	US PGRU, USPAT, USCOR, EPO, JPO, DERIVENT	ADJ	ON	2008/10/01	21:22
S46	480	31IBIS or microelectr\$4 mechanical or micro near electr\$4 mechanical or micro electr\$4 mechanical or microelectr\$4 mechanical with switch with cantilever	US PGRU, USPAT, USCOR, EPO, JPO, DERIVENT	ADJ	ON	2008/10/01	21:23
S47	34	31IBIS or microelectr\$4 mechanical or micro near electr\$4 mechanical or micro electr\$4 mechanical or microelectr\$4 mechanical with switch and two near4 wiring and cantilever	US PGRU, USPAT, USCOR, EPO, JPO, DERIVENT	ADJ	ON	2008/10/01	21:32
S48	403	31IBIS or microelectr\$4 mechanical or micro near electr\$4 mechanical or micro electr\$4 mechanical or microelectr\$4 mechanical with switch,ab1, and cantilever	US PGRU, USPAT, USCOR, EPO, JPO, DERIVENT	ADJ	ON	2008/10/01	21:33
S49	224	31IBIS or microelectr\$4 mechanical or micro near electr\$4 mechanical or micro electr\$4 mechanical or microelectr\$4 mechanical with ((variable or tunable or varied or tuned or tuning or varying) near3 (capacitor or condensor)) or varactor, ab1,	US PGRU, USPAT, USCOR, EPO, JPO, DERIVENT	ADJ	ON	2008/10/01	21:40

330	131	3)IBIS or microelect\$4 mechanical or micro near electro\$4mechanical or micro elect\$4 mechanical or microelect\$4mechanical with ((variable or tunable or varied or tuned or tuning or varying) near\$3 (capacitor or condensor) or varactor) ab:ti and capacitance	US-RPUB USPAT USCOR EPO JPO DEWENT	ADJ	ON	2008/10/01 31.84
331	1629	capacitor ab:ti and comb	US-RPUB USPAT USCOR EPO JPO DEWENT	ADJ	ON	2008/10/01 32.46
333	157	3)IBIS or microelect\$4 mechanical or micro near electro\$4mechanical or micro elect\$4 mechanical or microelect\$4mechanical with (surface or side) with substrate and (capacitor or resistor or inductor) with (surface or side) with substrate	US-RPUB USPAT USCOR EPO JPO DEWENT	ADJ	ON	2008/10/01 33.56
334	138	3)IBIS or microelect\$4 mechanical or micro near electro\$4mechanical or micro elect\$4 mechanical or microelect\$4mechanical with (surface or side) with substrate and (capacitor or resistor or inductor) with (surface or side) with substrate and (opposite or back or rear or top or bottom) with (surface or side)	US-RPUB USPAT USCOR EPO JPO DEWENT	ADJ	ON	2008/10/01 33.58
335	128	3)IBIS or microelect\$4 mechanical or micro near electro\$4mechanical or micro elect\$4 mechanical or microelect\$4mechanical with (surface or side) with substrate and (capacitor or resistor or inductor) with (surface or side) with substrate and first or second or major) with (surface or side)	US-RPUB USPAT USCOR EPO JPO DEWENT	ADJ	ON	2008/10/01 34.04
337	1724	3)IBIS or microelect\$4 mechanical or micro near electro\$4mechanical or micro elect\$4 mechanical or microelect\$4mechanical with (surface or side) with substrate and (first or second or major) with (surface or side)	US-RPUB USPAT USCOR EPO JPO DEWENT	ADJ	ON	2008/10/01 34.08
338	1766	3)IBIS or microelect\$4 mechanical or micro near electro\$4mechanical or micro elect\$4 mechanical or microelect\$4mechanical with (surface or side) with substrate and (opposite or back or rear or top or bottom) with (surface or side)	US-RPUB USPAT USCOR EPO JPO DEWENT	ADJ	ON	2008/10/01 34.08
339	242	3337 or 3338 and (real estate or footprint)	US-RPUB USPAT USCOR EPO JPO DEWENT	ADJ	ON	2008/10/01 34.08
340	102	3)IBIS or microelect\$4 mechanical or micro near electro\$4mechanical or micro elect\$4 mechanical or microelect\$4mechanical with (surface or side) with (first or major or top or upper) with substrate and (capacitor or resistor or inductor) with (surface or side) with substrate	US-RPUB USPAT USCOR EPO JPO DEWENT	ADJ	ON	2008/10/01 34.10
341	1307	3)IBIS or microelect\$4 mechanical or micro near electro\$4mechanical or micro elect\$4 mechanical or microelect\$4mechanical with (surface or side) with substrate and integ\$4 with (device or die or package or draft)	US-RPUB USPAT USCOR EPO JPO DEWENT	ADJ	ON	2008/10/01 34.14
342	3	"2004-10084786" /LPRN	USPAT	ADJ	ON	2008/10/01 34.19
343	20	"2004-1008995" /LPRN	USPAT	ADJ	ON	2008/10/01 34.21
344	149	3)IBIS or microelect\$4 mechanical or micro near electro\$4mechanical or micro elect\$4 mechanical or microelect\$4mechanical with (surface or side) with substrate and (capacitor or resistor or inductor) with (surface or side) with substrate and (first or second or major or opposite or upper or lower or top or bottom or back or rear or backside or front) with (surface or side)	US-RPUB USPAT USCOR EPO JPO DEWENT	ADJ	ON	2008/10/01 34.39
346	231	3)IBIS or microelect\$4 mechanical or micro near electro\$4mechanical or micro elect\$4 mechanical or microelect\$4mechanical with (surface or side) with substrate and (capacitor or resistor or inductor or (electrical or electronic) (device or component) or passive (device or component) with (surface or side) with substrate and (first or second or major or opposite or upper or lower or top or bottom or back or rear or backside or front) with (surface or side)	US-RPUB USPAT USCOR EPO JPO DEWENT	ADJ	ON	2008/10/01 34.40
347	34	"200306119219" "20040116999" "20040140479" "20060099742" "5668039" "6025767" "6114734" "6307169" "6392144" "6436839" "6479921" "6529099" "6591668" "6566170" "6573822" "6621137" "6673697" "6673698"	US-RPUB USPAT USCOR EPO JPO DEWENT	ADJ	ON	2008/10/01 34.45
348	343	Active (device or component) with (surface or side) with substrate and (capacitor or resistor or inductor or (electrical or electronic) (device or component) or passive (device or component) with (surface or side) with substrate and (first or second or major or opposite or upper or lower or top or bottom or back or rear or backside or front) with (surface or side)	US-RPUB USPAT USCOR EPO JPO DEWENT	ADJ	ON	2008/10/01 34.58
349	44	Active (device or component) with (surface or side) with substrate and (capacitor or resistor or inductor or (electrical or electronic) (device or component) or passive (device or component) with (surface or side) with substrate and (first or second or major or opposite or upper or lower or top or bottom or back or rear or backside or front) with (surface or side) and MEMS	US-RPUB USPAT USCOR EPO JPO DEWENT	ADJ	ON	2008/10/01 34.59
370	125	Switch with filled (capacitor or condensor) with ((variable or vary or varying or varied or tunable or tune or tuning or tuned) near\$3 (capacitor or condensor) or varactor) and capacitance	US-RPUB USPAT EPO JPO DEWENT	ADJ	ON	2008/10/02 36.47

file:///C:/Documents%20and%20Settings/burkula/My%20Documents/Re-ES3/Folder%201741245/EASTSearchHistory%201741245_AccessibleFormat.htm (4 of 4)10/2/2008 11:04:35 AM